	Application No.	Applicant(s)	
A	10/784,282	LI, HSING-WU	
Notice of Allowability	Examiner	Art Unit	
	George R. Koch III	1734	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>3/15/2006</u> .			
2. The allowed claim(s) is/are 3.			
 Acknowledgment is made of a claim for foreign priority una a)	been received. been received in Application No cuments have been received in this rec	national stage applica	
4. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give			IOTICE OF
 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 			
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/06 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal Page 1. Interview Summary Paper No./Mail Date 7. Examiner's Amendm 8. Examiner's Stateme 9. Other	(PTO-413), e nent/Comment	·

Application/Control Number: 10/784,282 Page 2

Art Unit: 1734

Allowable Subject Matter

1. Claim 3 is allowed.

2. The following is an examiner's statement of reasons for allowance: The prior art of record, such as Tsai, discloses a film sticking/testing equipment, which is *capable* of being used with a plurality of touch pads being adhered with a film and being test and each of the touch pads at the bottom thereof having a plurality of contact spots, comprsing; a transmission mechanism with a deliver path, a film sticking apparatus on the transmission mechanism. Tsai is essentially a labeling device, and the structures of the claim, excluding the test apparatus, disclose a conventional labeling device.

However, the prior art of record, such as Tsai, does not disclose that the film sticking/testing apparatus further includes a test apparatus being connected to the transmission mechanism, characterized in that the test apparatus comprises a test platform, providing at least a probe for contacting with one of the contact spots, a computer device, electrically connecting with the probe; and at least a test rod, being capable of moving a locus at the upper surface of the touch pad to carry a test value output from the touch pad to a computer device for the test value output being compared with a preset value in the computer.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Drawings

3. The drawings filed 2/24/2004 are approved by the Examiner.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to George R. Koch III whose telephone number is (571) 272-1230. The examiner can normally be reached on M-F 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christopher Fiorilla can be reached on (571) 272-1187. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

George R. Koch III Primary Examiner Art Unit 1734

GRK 3/28/2006